

Table of Contents

If you need native checkboxes that are automatically bound to your model, instead of fake "[ChoiceCellEditor checkboxes](#)", you can use `UICheckBoxCellEditor`.

However, be aware that such native checkboxes only have two states and two values (selected or unselected, e.g., Y or N). You can't set a custom value for null/empty, but this would be possible with `UICheckCellEditor`.

The advantage of native checkboxes is that they will fit your look and feel, but this would be also possible with custom images and choice cell editors.

Usage

The syntax is similar to [ChoiceCellEditors](#), e.g.:

```
rowDef.getColumnDefinition("CHOOSE").getDataType().  
setCellEditor(ApplicationUtil.YESNO_CHECKBOX);
```

The `ApplicationUtil` defines default cell editors. The `YESNO_CHECKBOX` is defined as:

```
new UICheckBoxCellEditor("Y", "N");
```

It's also possible to define default checkbox cell editors for an application:

```
UICheckBoxCellEditor.addDefaultCheckBoxCellEditor(ApplicationUtil.YESNO_CHEC  
KBOX);
```

From:

<http://doc.sibvisions.com/> - **Documentation**

Permanent link:

<http://doc.sibvisions.com/jvx/client/gui/checkbox>



Last update: **2020/06/26 11:53**