

Table of Contents

The ProjX application is a standard implementation of JVx' RemoteWorkScreenApplication. It's the default application frame for applications with workscreens. It controls the access to workscreens and configures the application frame for it's different states (logged on, logged out, anonymous user). It's not allowed to open workscreens if no user is logged on or if anonymous usage wasn't configured.

A workscreen will be opened if it's allowed to open the screen. The security will be controlled by the server side as well, but the application has some UI-relevant checks.

If you want to change the default checks, or if you need to execute custom tasks before a workscreen would be opened, simply extend ProjX and change one of the following methods:

```
public synchronized IWorkScreen openWorkScreen(String pClassName,
                                                Modality pModality,
                                                AbstractConnection
pConnection,
                                                Map<String, Object>
pParameter,
                                                boolean pSingleInstance)
throws Throwable
```

This methods performs security checks and fires before/after events like before open workscreen.

The workscreen instance will be loaded with

```
public IWorkScreen loadWorkScreen(IApplication pApplication, String
pClassName,
                                AbstractConnection pConnection,
                                Map<String, Object> pParameter)
```

This is the right method if you want to use custom classloaders for loading your workscreens.

From:

<https://doc.sibvisions.com/> - **Documentation**

Permanent link:

https://doc.sibvisions.com/applications/control_openscreen



Last update: **2020/07/08 13:00**