

Table of Contents

Sometimes it's important to notify all client about an event or about changed records. This is known as "push". You push a message to all clients. In web environments a websocket is used for push notification. In JVx we have a [push mechanism](#) which is technology independent and it works different in different UI technologies.

How to push a message to other clients?

In our example, we have a button and on button press we send a simple reload notification to all other clients. This is a super simple task.

The action event for the button looks like:

```
public void doSendNotification(UIActionEvent pEvent) throws Throwable
{
    //saves all changes
    save();

    //triggers push
    getConnection().callAction("doReloadAllClients");
}
```

In our [life-cycle](#) object, we need the `doReloadAllClients` method:

```
public void doPublish()
{
    ICallbackBroker broker = SessionContext.getCurrentCallbackBroker();

    Thread th = new Thread(new Runnable()
    {
        public void run()
        {
            broker.publish("RELOAD", null,
PublishMode.AllOtherMasterSessions);
        }
    });
    th.start();

    //with JVx 3.0, not additional thread is required
    //SessionContext.getCurrentCallbackBroker().publish("RELOAD", null,
PublishMode.AllOtherMasterSessions);
}
```

The reload event needs a handler. This handler/listener will be registered in our application:

```
public class CustomApplication extends Application
    implements ICallbackResultListener
{
    @Override
    public void setConnection(AbstractConnection pConnection)
    {
        AbstractConnection con = getConnection();
    }
}
```

```
    if (con != null)
    {
        con.removeCallbackResultListener(this);
    }

    super.setConnection(pConnection);

    pConnection.addCallbackResultListener(this);
}

public void callbackResult(CallBackResultEvent pEvent)
{
    if ("RELOAD".equals(pEvent.getInstruction()))
    {
        try
        {
            reload();
        }
        catch (Throwable th)
        {
            error(th);
        }
    }
}
}
```

That's it.

But be careful, because push won't work in load-balanced applications with this standard implementation!

From:
<https://doc.sibvisions.com/> - **Documentation**

Permanent link:
https://doc.sibvisions.com/jvx/communication/push_support



Last update: **2022/11/29 12:17**